

● PRINTER RUSH ●

(PTO ASSISTANCE)

Application : <u>10/053760</u>	Examiner : <u>Kim, H</u>	GAU : <u>2186</u>
From : <u>S-G-C</u>	Location : <u>IDC</u> FMF FDC	Date : <u>03-04-05</u>
Tracking # : <u>06049055</u>		Week Date : <u>12/06/04</u>

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449		<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS		<input type="checkbox"/> Foreign Priority
<input checked="" type="checkbox"/> <u>CLM</u>		<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW		<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW		<input type="checkbox"/> Other
<input checked="" type="checkbox"/> <u>ORW</u> (REM)	<u>11-26-2004</u>	
<input type="checkbox"/> OATH		
<input type="checkbox"/> 312		
<input type="checkbox"/> SPEC		

[RUSH] MESSAGE: (1) Drawings dated 08-30-2004 (shown in EDAN under Remarks dated 11/26/04): Figure 2 contains red line corrections.

(2) Claims: Claim 5 does not end with a period.

PLEASE RESOLVE

Thank you,
ALC

[XRUSH] RESPONSE: Replacement drawing had been submitted

on 2/14/2005.

Added a period.

INITIALS: HL

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.
REV 10/04